British Journal of Plastic Surgery (1995), **48**, 613–621
© 1995 The British Association of Plastic Surgeons

Author Index

A

Abe, N., jt.author. *See* Kushima, H.
Abe, S., Fujita, T. and Takami, Y. Disappearance of Langerhans cells and melanocytes after cryopreservation of skin, 405
Alonso, P. E., Bescansa, E., Salas, J., Haro, J. de, Redondo, A. and Rioja, L. F. Perineural spread of cutaneous squamous cell carcinoma manifesting as ptosis and opthalmoplegia (Orbital Apex Syndrome), 564
Alt, A., jt.author. *See* Holle, J.
Ambrose, I., jt.author. *See* Werker, P. M. N.
Amorrortu-Velayos, J., jt.author. *See* González-Martínez, R.
Anderl, H., jt.author. *See* Hefel, L.
Anderl, H., jt.author. *See* Ninković, M.
Arai, K., jt.author. *See* Itoh, Y.
Arnež, Z., Tyler, M., Giacomarra, V. and Planinšek, F. The radial forearm-lateral arm mega free flap, 27
Arnež, Z. M., Valdatta, L., Tyler, M. P. and Planinšek, F. Anatomy of the internal mammary veins and their use in free TRAM flap breast reconstruction, 540
Arnold, F., He, C. F., Jia, C. Y. and Cherry, G. W. Perfusion imaging of skin island flap blood flow by a scanning laser-Doppler technique, 280
Arons, J. A. and Guyuron, B. Use of rectus abdominis osteomyocutaneous double island flap based on internal mammary vessels, 145
Arranz López, J. L., Suárez Nieto, C., Barthe García, P. and Rojo Ortega, J. M. Evaluation of angiogenesis in delayed skin flaps using a monoclonal antibody for the vascular endothelium, 479
Aung, S. C., Ngim, R. C. K. and Lee, S. T. Evaluation of the laser scanner as a surface measuring tool and its accuracy compared with direct facial anthropometric measurements, 551

B

Baker, L. W., jt.author. *See* Thomson, S. R.
Bantick, G. L. and Taggart, I. Mammography and breast implants, 49
Barthe García, P., jt.author. *See* Arranz López, J. L.
Baruchin, A. M. Human tail (letter to editor), 114
Batchelor, A. G. G., jt.author. *See* Coady, M. S. E.
Batchelor, A. G. G., jt.author. *See* Geary, P. M.
Benjamin, E., jt.author. *See* Hirigoyen, M. B.
Beranek, J. T. Regeneration and wound healing in foetal sheep (letter to editor), 177
Berger, A., jt.author. *See* Brenner, P.
Bescansa, E., jt.author. *See* Alonso, P. E.
Bing Siang Gan, jt.author. *See* Hurst, L. N.
Birch, M. Image analysis of lateral velopharyngeal closure – reply (letter to editor), 178
Bishop, J., jt.author. *See* Hudson-Peacock, M. J.
Bowditch, M., jt.author. *See* Dujon, D. G.
Bracka, A. A versatile two-stage hypospadias repair, 345
Breidahl, A. F., jt.author. *See* Morrison, W. A.
Brenner, P., Reichert, B., Schäfers, H.-J., Lister, G. D., Dreyer, J.-O. and Berger, A. Chest wall reconstruction by free latissimus dorsi flap 25 years after accidental exposure to a source of industrial irradiation, 431
Brion, J.-P., jt.author. *See* Geertruyden, J. P. Van
Burd, D. A., jt.author. *See* Livingstone, J. A.

C

Cairnduff, F., jt.author. *See* Roberts, D. J. H.
Calder, J. S., jt.author. *See* McAllister, R. M. R.
Callan, P. P., jt.author. *See* Morrison, W. A.
Chen, T.-H. Silicone injection granulomas of the breast: treatment by subcutaneous mastectomy and immediate subpectoral breast implant, 71
Chen, X. O., jt.author. *See* Jian, X. C.
Cheng, T. and Tang, Y. Treatment of ischial pressure sores with an inferior gluteus maximus musculocutaneous island flap (letter to editor), 521
Cherry, G. W., jt.author. *See* Arnold, F.
Cherry, G. W., jt.author. *See* Parish, J. L.
Chiang, Y.-C., jt.author. *See* Su, C.-Y.
Chuang, D. C.-C., Devaraj, V. S. and Wei, F.-C. Irreversible muscle contracture after functioning free muscle transplantation using the ipsilateral facial nerve for reinnervation, 1
Chung, K. C., Weiss, S. W. and Kuzon, W. M. Jr. Multifocal congenital hemangiopericytomas associated with Kasabach-Merritt syndrome, 240
Clarke, K., jt.author. *See* Mirlohi, H. R.
Cleland, J. On the cutaneous ligaments of the phalanges (classic reprint), 106
Coady, M. S. E. and Batchelor, A. G. G. Improving access to the axilla for lymphadenectomy and microvascular surgery, 110
Coady, M. S. E., Gaylor, J. and Knight, S. L. Fungal growth within a silicone tissue expander: case report, 428
Coleman, R. A., jt.author. *See* Cross, S. E.
Cordova, A., jt.author. *See* Moschella, F.
Cross, S. E., Naylor, I. L., Coleman, R. A. and Teo, T. C. An experimental model to investigate the dynamics of wound contraction, 189
Curtis, B, jt.author. *See* Kirkpatrick, J. J. R.

D

Devaraj, V. S., jt.author. *See* Chuang, D. C.-C.
Dickson, W. A., jt.author. *See* Eadie, P. A.
Donato, R. R., jt.author. *See* Morrison, W. A.
Doré, C., jt.author. *See* Whitworth, I. H.
Doré, C. J., jt.author. *See* Irwin, M. S.
Dougan, P., jt.author. *See* Salemark, L.
Dover, R., Otto, W. R., Nanchahal, J. and Riches, D. J. Toxicity testing of wound dressing materials *in vitro*, 230
Dreyer, J.-O., jt.author. *See* Brenner, P.
Dujon, D., jt.author. *See* Dziewulski, P.
Dujon, D. G. and Bowditch, M. The thin tube pedicle: a valuable technique in auricular reconstruction after trauma, 35
Dziewulski, P., Dujon, D., Spyriounis, P., Griffiths, R. W. and Shaw, J. D. A retrospective analysis of the results of 218 consecutive rhinoplasties, 451

E

Eadie, P. A., Williams, R. and Dickson, W. A. Thirty-five years of paediatric scalds: are lessons being learned?, 103
Eastwood, D. S. Super-thin flaps (letter to editor), 434
Endo, T., Nakayama, Y., Uchida, A. and Kimata, Y. Keloid formation after surgery for release of polysyndactyly of the feet in a child, 43
Erdmann, M. W. H., Quaba, A. A. and Sommerlad, B. C. Epithelioid sarcoma masquerading as Dupuytren's disease, 39
Evans, D. M. Facial reconstruction after a burn injury using two circumferential radial forearm flaps, and a dorsal pedis flap for the nose, 471

F

Fallowfield, M. E., jt.author. *See* Pickford, M. A.
Ferguson, D. J. P., jt.author. *See* Parish, J. L.
Fisher, J. and Jackson, I. T. Irreversible muscle contracture after functioning free muscle transplantation using ipsilateral facial nerve for reinnervation (letter to editor), 518
Fitzgerald, A. M., jt.author. *See* Kirkpatrick, J. J. R.
Fourez, T. J., jt.author. *See* Geertruyden, J. P. Van
Franke, J., jt.author. *See* Wolff, K.-D.

Fu, W. and Jiao, X. The effect of mannitol and anisodamin on the prevention of free radical injury to post-ischaemia flaps: an experimental study, 218
Fujita, , T., jt.author. *See* Abe, S.
Fujiwara, T., jt.author. *See* Kushima, H.

G

Gault, D. T. Historical snippet (letter to editor), 53
Gault, D. T., Grippaudo, F. R. and Tyler, M. Ear reduction, 30
Gaylor, J., jt.author. *See* Coady, M. S. E.
Geary, P. M. and Batchelor, A. G. G. Breast reduction and breast cancer (letter to editor), 608
Geertruyden, J. P. Van, Fourez, T. J., Hansen, P., Heimann, P. E. and Brion, J.-P. Heterotopic brain tissue in the scalp, 332
Gelder, J. van , jt.author. *See* Kohout, M.
Giacomarra, V., jt.author. *See* Arnež, Z.
González-Martínez, R., Marín-Bertolín, S. and Amorrortu-Velayos, J. Association between keloids and Dupuytren's disease: case report, 47
Goodacre, T. E. E., jt.author. *See* Slator, R.
Grayson, J. The cutaneous ligaments of the digits (classic reprint), 108
Green, C. J., jt.author. *See* Irwin, M. S.
Green, C. J., jt.author. *See* Werker, P. M. N.
Green, C. J., jt.author. *See* Whitworth, I. H.
Greenstein, A. S., jt.author. *See* Hirigoyen, M. B.
Gregory, M. A., jt.author. *See* Thomson, S. R.
Griffiths, R. W., jt.author. *See* Dziewulski, P.
Grippaudo, F. R., jt.author. *See* Gault, D. T.
Guyuron, B., jt.author. *See* Arons, J. A.

H

Hage, J. J., jt.author. *See* Vegter, F.
Hall, S., jt.author. *See* Whitworth, I. H.
Hallock, G. G. Closure of an ischial pressure sore using a free gastrocnemius musculocutaneous flap with a long venous pedicle, 504
Hansen, P., jt.author. *See* Geertruyden, J. P. Van
Harashina, T., jt.author. *See* Takamatsu, A.
Harii, K., jt.author. *See* Kimata, Y.
Haro, J. de, jt.author. *See* Alonso, P. E.
Harrison, D. H. Irreversible muscle contracture after free muscle transfer for facial palsy (letter to editor), 518
Hart, N. B., jt.author. *See* Papanastasiou, S.
Hart, N. B., jt.author. *See* Soundararajan, V.
Hayashi, H., jt.author. *See* Kojima, T.
He, C. F., jt.author. *See* Arnold, F.
Hefel, L., Schwabegger, A., Ninković, M., Wechselberger, G., Moriggl, B., Waldenberger, P. and Anderl, H. Internal mammary vessels: anatomical and clinical considerations, 527
Hefel, L., jt.author. *See* Ninković, M.
Heimann, P. E., jt.author. *See* Geertruyden, J. P. Van
Heshiki, T., jt.author. *See* Ishikura, N.
Heycock, M. H. Plastic surgery in Hull, 112
Hildago, A., jt.author. *See* Werker, P. M. N.
Hirakawa, M., jt.author. *See* Uchida, T.
Hirigoyen, M. B., Manasia, A., Zhang, W., Greenstein, A. S., Lu, Y., Benjamin, E., Urken, M. L. and Weinberg, H. Glutathione disulphide as a marker of reperfusion injury in ischaemic skin flaps, 77
Hodgkinson, P. D., jt.author. *See* Piggot, T. A.
Hogg, F. J., jt.author. *See* Pickford, M. A.
Højsgaard, A. and Villadsen, I. McIndoe procedure for congenital vaginal agenesis: complications and results, 97
Holle, J., Worseg, A., Kuzbari, R., Würinger, E. and Alt, A. The extended gracilis muscle flap for reconstruction of the lower leg, 353
Holle, J., jt.author. *See* Worseg, A.
Homma, K., jt.author. *See* Igawa, H. H.
Hudson-Peacock, M. J., Bishop, J. and Lawrence, C. M. Shave excision of benign papular naevocytic naevi, 318
Hughes, M. A., jt.author. *See* Parish, J. L.
Hurley, J. V. Regeneration and wound healing in foetal sheep – reply (letter to editor), 177
Hurst, L. N. and Bing Siang Gan Intralesional methotrexate in keratocanthoma of the nose, 243

I

Igawa, H. H., Minakawa, H. M., Sugihara, T. and Homma, K. Cheek reconstruction with an expanded prefabricated musculocutaneous free flap: case report, 569
Ikada, Y., jt.author. *See* Suzuki, S.
Imanishi, N., jt.author. *See* Nakajima, H.
Inoue, T., jt.author. *See* Takamatsu, A.
Irwin, M. S., Thorniley, M. S., Doré, C. J. and Green, C. J. Near infra- red spectroscopy: a non-invasive monitor of perfusion and oxygenation within the microcirculation of limbs and flaps, 14
Ishikawa, K., jt.author. *See* Kurokawa, M.
Ishikura, N., Heshiki, T., Kimura, T. and Tsukada, S. Repair of complete syndactyly by tissue expansion and composite grafts, 396
Ito, M., jt.author. *See* Onizuka, K.
Itoh, Y. and Arai, K. A new operation for syndactyly and polysyndactyly of the foot without skin grafts, 306
Iwamoto, T., jt.author. *See* Kimata, Y.

J

Jackson, I. T., jt.author. *See* Fisher, J.
Jia, C. Y., jt.author. *See* Arnold, F.
Jian, X. C., Su, H. B. and Chen, X. O. Triple nostrils associated with cleft lip and palate (letter to editor), 53
Jiao, X., jt.author. *See* Fu, W.
Jones, B. M. Cross-face reanimation of the paralysed face, with single stage microneurovascular gracilis transfer without nerve graft (letter to editor), 519
Jones, B. M. Facelifting: an initial eight year experience, 203

K

Kahveci, R., Kahveci, Z., Sirmali, Ş. and Özcan, M. Urethral reconstruction with autologous vein graft: an experimental study, 500
Kahveci, R., jt.author. *See* Özcan, M.
Kahveci, Z., jt.author. *See* Kahveci, R.
Kalangu, K. K. N., jt.author. *See* Mawera, G.
Kamei, Y., jt.author. *See* Kato, H.
Kato, H., Kuriki, A., Kamei, Y. and Torii, S. Free intrathoracic jejunal transfer for thoracic oesophageal reconstruction: a case report, 11
Katsantoni, P. N., jt.author. *See* Mandrekas, A. D.
Kay, A. R. and McGeorge, D. D. Day care surgery for prominent ears (letter to editor), 340
Kimata, Y., Tsukada, S., Iwamoto, T. and Harii, K. Free combined parascapular flap and latissimus dorsi muscle flap for facial palsy and neck reconstruction, 515
Kimata, Y., jt.author. *See* Endo, T.
Kimura, T., jt.author. *See* Ishikura, N.
Kirkpatrick, J. J. R., Curtis, B., Fitzgerald, A. M. and Naylor, I. L. A modern translation and interpretation of the treatise on burns of Fabricius Hildanus (1560–1634), 460
Kirkpatrick, J. J. R., Taggart, I., Rigby, H. S. and Townsend, P. L. G. A pigmented lesion clinic: analysis of the first year's 1055 patients, 247
Klaasen, M. F., jt.author. *See* Richards, A. M.
Knight, K. R., jt.author. *See* Kohout, M.
Knight, S. L., jt.author. *See* Coady, M. S. E.
Knowlton, R. J., jt.author. *See* Kreidstein, M. L.
Knudsen, F., jt.author. *See* Salemark, L.
Kobayashi, S., Masuda, T. and Ohmori, K. Repair of alar clefts, associated with nasal skin lumps and median clefts of the upper lip and alveolus, 329
Kohout, M., Lepore, D. A., Knight, K. R., Van Gelder, J., O'Brien, B.McC., Stewart, A. G. and Morrison, W. A. Cool perfusion solutions for skin flaps: a new mixture of pharmacological agents which improves skin flap viability, 132
Kojima, T., Hayashi, H. and Terao, Y. A dorsal flap with lateral digital extensions for palmar web contractures, 236

Kojima, T., jt.author. *See* Uchida, T.
Kon, M., jt.author. *See* Werker, P. M. N.
Korak, K., jt.author. *See* Worseg, A.
Kreidstein, M. L., Levine, R. H., Knowlton, R. J. and Pang, C. Y. Serial fluorometric assessments of skin perfusion in isolated perfused human skin flaps, 288
Kumar, P. A. V. Cross-face reanimation of the paralysed face, with a single stage microneurovascular gracilis transfer without nerve graft: a preliminary report, 83
Kumar, P. A. V. Cross-face reanimation of the paralysed face, with single stage microneurovascular gracilis transfer without nerve graft – reply (letter to editor), 520
Kurihara, T., jt.author. *See* Takamatsu, A.
Kuriki, A., jt.author. *See* Kato, H.
Kurokawa, M., Ishikawa, K. and Nishimura, Y. A neurovascular island flap including a vein for the treatment of an acquired ring constriction, 401
Kushima, H., Matsuo, K., Yuzuriha, S., Abe, N. and Fujiwara, T. A bolster suture technique for ear reconstruction for microtia without skin necrosis, 323
Kuzbari, R., jt.author. *See* Holle, J.
Kuzbari, R., jt.author. *See* Worseg, A.
Kuzon, W. M. Jr, jt.author. *See* Chung, K. C.

L

Landuyt, K. H. van , jt.author. *See* Matton, G. E.
Lanigan, M. W., jt.author. *See* Theile, R. J. W.
Lawrence, C. M., jt.author. *See* Hudson-Peacock, M. J.
Lee, K. K., jt.author. *See* Perkins, D. J.
Lee, S. T., jt.author. *See* Aung, S. C.
Lepore, D. A., jt.author. *See* Kohout, M.
Levine, R. H., jt.author. *See* Kreidstein, M. L.
Lister, G. D., jt.author. *See* Brenner, P.
Livingstone, J. A. and Burd, D. A. Bilateral congenital fatty heel pads, 252
Lu, Y., jt.author. *See* Hirigoyen, M. B.
Lupo, G. Human tails (letter to editor), 434
Lüscher, N. J., jt.author. *See* Vögelin, E.

M

McAllister, R. M. R. and Calder, J. S. Paradoxical clinical consequences of peripheral nerve injury: conduction of nerve impulses does not occur across the site of injury immediately following nerve division and repair, 371
McAllister, R. M. R. and Calder, J. S. Paradoxical clinical consequences of peripheral nerve injury: a review of anatomical, neurophysiological and psychological mechanisms, 384
McDermant, G. R., jt.author. *See* Theile, R. J. W.
McGeorge, D. D. The "Niplette" for non-surgical correction of inverted nipples – a reply (letter to editor), 115
McGeorge, D. D., jt.author. *See* Kay, R. R.
McLean, N. R., jt.author. *See* Pape, S. A.
MacLeod, R. I., jt.author. *See* Pape, S. A.
Manasia, A., jt.author. *See* Hirigoyen, M. B.
Mandrekas, A. D., Zambacos, G. J. and Katsantoni, P. N. Immediate and delayed breast reconstruction with permanent tissue expanders, 572
Marín-Bertolín, S., jt.author. *See* González-Martínez, R.
Mars, M., jt.author. *See* Thomson, S. R.
Maruguchi, T., jt.author. *See* Suzuki, S.
Masuda, T., jt.author. *See* Kobayashi, S.
Matsuda, K., jt.author. *See* Suzuki, S.
Matsuo, K., jt.author. *See* Kushima, H.
Matton, G. E., Tonnard, P. L., Monstrey, S. J. and Van Landuyt, K. H. A universal incision for tissue expander insertion, 172
Mawera, G., Kalangu, K. K. N. and Muguti, G. I. The sensate deep inferior epigastric musculocutaneous flap and the twelfth thoracic nerve, 455
Millar, R., jt.author. *See* Riaz, M.
Minabe, T., jt.author. *See* Nakajima, H.
Minakawa, H. M., jt.author. *See* Igawa, H. H.
Mirlohi, H. R., Rowsell, A. R. and Clarke, K. Image analysis of lateral velopharyngeal closure (letter to editor), 178
Monstrey, S. J., jt.author. *See* Matton, G. E.
Moriggl, B., jt.author. *See* Hefel, L.
Morrison, W. A., Donato, R. R., Breidahl, A. F., Theile, D. R. and Callan, P. P. Island inner canthal and glabellar flaps for nasal tip reconstruction, 263
Morrison, W. A., jt.author. *See* Kohout, M.
Moschella, F. and Cordova, A. Upper eyelid reconstruction with mucosa-lined bipedicled myocutaneous flaps, 294
Muguti, G. I., jt.author. *See* Mawera, G.
Muir, I. F. K. Plastic surgery in Aberdeen, 254

N

Naicker, T., jt.author. *See* Thomson, S. R.
Nakajima, H., Imanishi, N. and Minabe, T. The arterial anatomy of the temporal region and the vascular basis of various temporal flaps, 439
Nakayama, Y., jt.author. *See* Endo, T.
Nanchahal, J., jt.author. *See* Dover, R.
Natasen, J., jt.author. *See* Thomson, S. R.
Naylor, I. L., jt.author. *See* Cross, S. E.
Naylor, I. L., jt.author. *See* Kirkpatrick, J. J. R.
Naylor, I. L., jt.author. *See* Teo, T. C.
Ngim, R. C. K., jt.author. *See* Aung, S. C.
Niazi, Z. B. M., jt.author. *See* Piggot, T. A.
Nikolić, Ž., jt.author. *See* Rončević, R.
Ninković, M., Anderl, H., Hefel, L., Schwabegger, A. and Wechselberger, G. Internal mammary vessels: a reliable recipient system for free flaps in breast reconstruction, 533
Ninković, M., jt.author. *See* Hefel, L.
Nishikawa, H., jt.author. *See* Wardrop, P. J. C.
Nishimura, Y., jt.author. *See* Kurokawa, M.
Nishimura, Y., jt.author. *See* Suzuki, S.
Nozaki, M., jt.author. *See* Yap-Legaspi, E. C.

O

O'Brien, B.McC., jt.author. *See* Kohout, M.
Ohba, S., jt.author. *See* Takamatsu, A.
Ohmori, K., jt.author. *See* Kobayashi, S.
Onizuka, K., Tsuneda, K., Shibata, Y., Ito, M. and Sekine, I. Efficacy of flashlamp-pumped pulsed dye laser therapy for port wine stains: clinical assessment and histopathological characteristics, 271
Onizuka, T., jt.author. *See* Satoh, K.
Otto, W. R., jt.author. *See* Dover, R.
Özcan, M. and Kahveci, R. The "Niplette" for non-surgical correction of inverted nipples (letter to editor), 115
Özcan, M. and Kahveci, R. One-stage repair of hypospadias (letter to editor), 258
Özcan, M., jt.author. *See* Kahveci, R.

P

Pang, C. Y., jt.author. *See* Kreidstein, M. L.
Papanastasiou, S. and Hart, N. B. Multiple uses of the hypodermic needle (letter to editor), 338
Pape, S. A., MacLeod, R. I., McLean, N. R. and Soames, J. V. Sialadenosis of the salivary glands, 419
Parish, J. L., Hughes, M. A., Cherry, G. W. and Ferguson, D. J. P. The effect of minoxidil analogues and metabolites on the contraction of collagen lattices by human skin fibroblasts, 154
Pennington, D. G., jt.author. *See* Perkins, D. J.
Perkins, D. J., Lee, K. K., Pennington, D. G. and Stern, H. S. Free flaps in the management of intrathoracic sepsis, 546
Pickford, M. A., Hogg, F. J., Fallowfield, M. E. and Webster, M. H. C. Sebaceous carcinoma of the periorbital and extraorbital regions, 93
Pickford, M. A. and Soutar, D. S. Intraoral reconstruction using a second free flap for recurrent or metachronous carcinoma, 559
Piggot, T. A., Niazi, Z. B. M. and Hodgkinson, P. D. New technique of levator lengthening for the retracted upper eyelid, 127
Pigott, R. W. Aesthetic reconstructive surgery (letter to editor), 338
Planinšek, F., jt.author. *See* Arnež, Z.
Planinšek, F., jt.author. *See* Arnež, Z. M.

Q

Quaba, A. A., jt.author. *See* Erdmann, M. W. H.
Quaba, A. A., jt.author. *See* Tarar, M. N.
Quirinia, A. and Viidik, A. The effect of hyperbaric oxygen on different phases of healing of ischaemic flap wounds and incisional wounds in skin, 583

R

Rajacic, N. Treatment of ischial pressure sores with an inferior gluteus maximus musculocutaneous island flap – reply (letter to editor), 522
Redondo, A., jt.author. *See* Alonso, P. E.
Reichert, B., jt.author. *See* Brenner, P.
Riaz, M., Millar, R. and Small, J. O. A pre-expanded island scapular flap for contracture of the neck (letter to editor), 521
Richard, B. M. Distally based posterior interosseous island flap (letter to editor), 258
Richards, A. M. and Klaasen, M. F. A simple device for use as a mammastat, scalp or finger tourniquet (letter to editor), 606
Riches, D. J., jt.author. *See* Dover, R.
Rigby, H. S., jt.author. *See* Kirkpatrick, J. J. R.
Rioja, L. F., jt.author. *See* Alonso, P. E.
Roberts, D. J. H. and Cairnduff, F. Photodynamic therapy of primary skin cancer: a review, 360
Roche, R. de, jt.author. *See* Vögelin, E.
Rojo Ortega, J. M., jt.author. *See* Arranz López, J. L.
Rončević, R., Stajčič, Z. and Nikolić, Ž. Hanhart's syndrome with facial asymmetry: case report, 511
Rowsell, A. R., jt.author. *See* Mirlohi, H. R.
Royston, C. M. S., jt.author. *See* Soundararajan, V.
Rudolph, K.-H., jt.author. *See* Wolff, K.-D.

S

Salas, J., jt.author. *See* Alonso, P. E.
Salemark, L., Knudsen, F. and Dougan, P. The effect of dextran 40 on patency following severe trauma in small arteries and veins, 121
Salinas Velasco, V. M. One-stage repair of hypospadias – reply (letter to editor), 259
Satoh, K., Shibata, Y., Tokushige, H. and Onizuka, T. A mirror image of the first and second branchial arch syndrome associated with cleft lip and palate in monozygotic twins, 601
Schäfers, H.-J., , jt.author. *See* Brenner, P.
Schwabegger, A., jt.author. *See* Hefel, L.
Schwabegger, A., jt.author. *See* Ninković, M.
Sekine, I., jt.author. *See* Onizuka, K.
Shalaby, H. A. The distally based peroneal island flap, 23
Shaw, J. D., jt.author. *See* Dziewulski, P.
Shibata, Y., jt.author. *See* Onizuka, K.
Shibata, Y., jt.author. *See* Satoh, K.
Sirmali, Ş., jt.author. *See* Kahveci, R.
Slator, R. and Goodacre, T. E. E. EMLA cream on the ears – is it effective? A prospective, randomised controlled trial of the efficacy of topical anaesthetic cream in reducing the pain of local anaesthetic infiltration for prominent ear correction, 150
Small, J. O., jt.author. *See* Riaz, M.
Soames, J. V., jt.author. *See* Pape, S. A.
Sommerlad, B. C., jt.author. *See* Erdmann, M. W. H.
Soundararajan, V., Hart, N. B. and Royston, C. M. S. Abdominoplasty following vertical banded gastroplasty for morbid obesity, 423
Soutar, D. S., jt.author. *See* Pickford, M. A.
Spyriounis, P., jt.author. *See* Dziewulski, P.
Stajčič, Z., jt.author. *See* Rončević, R.
Stern, H. S., jt.author. *See* Perkins, D. J.
Stewart, A. G., jt.author. *See* Kohout, M.
Su, C.-Y. and Chiang, Y.-C. The fabricated radial forearm flap in pharyngolaryngeal surgery: saliva leakage and its prevention, 212
Su, H. B., jt.author. *See* Jian, X. C.
Suárez Nieto, C., jt.author. *See* Arranz López, J. L.
Subrahmanyam, M. Amniotic membrane as a cover for microskin grafts, 477
Sugihara, T., jt.author. *See* Igawa, H. H.
Suzuki, S., Matsuda, K., Maruguchi, T., Nishimura, Y. and Ikada, Y. Further applications of "bilayer artificial skin", 222

T

Taggart, I., jt.author. *See* Bantick, G. L.
Taggart, I., jt.author. *See* Kirkpatrick, J. J. R.
Tairych, G., jt.author. *See* Worseg, A.
Takamatsu, A., Inoue, T., Kurihara, T., Ohba, S. and Harashina, T. Free snuff-box flap for reconstruction of the wrap-around flap donor site, 312
Takami, Y., jt.author. *See* Abe, S.
Takeuchi, M., jt.author. *See* Yap-Legaspi, E. C.
Tang, Y., jt.author. *See* Cheng, T.
Tarar, M. N. and Quaba, A. A. An adipofascial turnover flap for soft tissue cover around the clavicle, 161
Telzrow, T., jt.author. *See* Wolff, K.-D.
Teo, T. C. and Naylor, I. L. Modifications to the rate of wound contraction by allopurinol, 198
Teo, T. C., jt.author. *See* Cross, S. E.
Terao, Y., jt.author. *See* Kojima, T.
Terenghi, G., jt.author. *See* Whitworth, I. H.
Thatte, R. In memory of Michael Tempest (letter to editor), 608
Theile, D. R., jt.author. *See* Morrison, W. A.
Theile, R. J. W., Lanigan, M. W. and McDermant, G. R. Reconstruction of aplasia cutis congenita of the scalp by split rib cranioplasty and a free latissimus dorsi muscle flap in a nine month old infant, 507
Thompson, R. V. S. What are the priorities in plastic surgery? Kay-Kilner Prize Essay 1994, 410
Thomson, S. R., Gregory, M. A., Mars, M., Natasen, J., Naicker, T. and Baker, L. W. Morphological aspects of microarterial anastomoses: a comparison of nylon with polydioxanone, 165
Thorniley, M. S., jt.author. *See* Irwin, M. S.
Tokushige, H., jt.author. *See* Satoh, K.
Tonnard, P. L., jt.author. *See* Matton, G. E.
Torii, S., jt.author. *See* Kato, H.
Townsend, P. L. G., jt.author. *See* Kirkpatrick, J. J. R.
Tsukada, S., jt.author. *See* Ishikura, N.
Tsukada, S., jt.author. *See* Kimata, Y.
Tsuneda, K., jt.author. *See* Onizuka, K.
Tyler, M., jt.author. *See* Arnež, Z.
Tyler, M., jt.author. *See* Gault, D. T.
Tyler, M. P., jt.author. *See* Arnež, Z. M.

U

Uchida, A., jt.author. *See* Endo, T.
Uchida, T., Kojima, T. and Hirakawa, M. Clinical study of symbrachydactyly of the foot, 300
Uglešić, V. and Virag, M. Musculomucosal nasolabial island flaps for floor of mouth reconstruction, 8
Urken, M. L., jt.author. *See* Hirigoyen, M. B.

V

Valdatta, L., jt.author. *See* Arnež, Z. M.
Van Geertruyden, J. P. *see* Geertruyden, J. P. van
Van Gelder, J., jt.author. *See* Kohout, M.
Van Landuyt, K. H., jt.author. *See* Matton, G. E.
Vegter, F. and Hage, J. J. The seven flap-plasty (letter to editor), 54
Viidik, A., jt.author. *See* Quirinia, A.
Villadsen, I., jt.author. *See* Højsgaard, A.
Virag, M., jt.author. *See* Uglešić, V.
Vögelin, E., Roche, R. de and Lüscher, N. J. Is soft tissue expansion in lower limb reconstruction a legitimate option?, 579

W

Waldenberger, P., jt.author. *See* Hefel, L.
Wardrop, P. J. C. and Nishikawa, H. Lateral cutaneous nerve of the thigh block as primary anaesthesia for harvesting skin grafts, 597
Wartenberg, E., jt.author. *See* Wolff, K.-D.

Webster, M. H. C., jt.author. *See* Pickford, M. A.
Wechselberger, G., jt.author. *See* Hefel, L.
Wechselberger, G., jt.author. *See* Ninković, M.
Wei, F.-C., jt.author. *See* Chuang, D. C.-C.
Wei, F.-C., jt.author. *See* Yim, K. K.
Weinberg, H., jt.author. *See* Hirigoyen, M. B.
Weiss, S. W., jt.author. *See* Chung, K. C.
Werker, P. M. N., Kon, M., Green, C. J., Ambrose, I. and Hildago, A. Oxidative processes and free radical scavengers in ischaemia-reperfusion injury in adipocutaneous flaps: in vitro lipid peroxidation assessment, 590
Whitworth, I. H., Doré, C., Hall, S., Green, C. J. and Terenghi, G. Different muscle graft denaturing methods and their use for nerve repair, 492
Williams, R., jt.author. *See* Eadie, P. A.
Wolff, K.-D., Telzrow, T., Rudolph, K.-H., Franke, J. and Wartenberg, E. Isotope perfusion and infrared thermography of arterialised, venous flow-through and pedicled venous flaps, 61
Worseg, A., Kuzbari, R., Tairych, G., Korak, K. and Holle, J. Long term results of inflatable mammary implants, 183
Worseg, A., jt.author. *See* Holle, J.
Würinger, E., jt.author. *See* Holle, J.

Y

Yap-Legaspi, E. C., Nozaki, M. and Takeuchi, M. The contribution of perivascular tissue to the neovascularization of full thickness skin grafts (prefabricated flaps): an experimental study, 89
Yim, K. K. and Wei, F.-C. Secondary procedures to improve function after toe-to-hand transfers, 487
Yuzuriha, S., jt.author. *See* Kushima, H.

Z

Zambacos, G. J., jt.author. *See* Mandrekas, A. D.
Zhang, W., jt.author. *See* Hirigoyen, M. B.

British Journal of Plastic Surgery (1995), **48**, 618–621
© 1995 The British Association of Plastic Surgeons

Subject Index

A

Abdominoplasty following vertical band gastroplasty for morbid obesity, 423
Aberdeen, plastic surgery in, 154
Adipocutaneous flaps, ischaemia-reperfusion injury, oxidative processes and free radical scavengers, 590
Adipofascial turnover flap for soft tissue cover around clavicle, 161
Aesthetic reconstructive surgery (letter to editor), 338
Allopurinol, modifications to rate of wound contraction, 198
Amniotic membrane as cover for microskin grafts, 477
Anaesthesia
  lateral cutaneous nerve of thigh block for harvesting of skin grafts, 591
  local, prominent ear correction, application of EMLA cream, 150
Angiogenesis, delayed skin flaps, evaluation using monoclonal antibody for vascular endothelium, 479
Anisodamin, effect on prevention of free radical injury to post-ischaemia flaps, 218
Aplasia cutis congenita of scalp, reconstruction by split rib cranioplasty and free latissimus dorsi muscle flap in nine month old infant, 507
Arms, lateral arm--radial forearm mega free flap, 27
Arteries, microarterial anastomoses, morphological aspects, comparison of nylon and polydioxanone, 165
Auricle, reconstruction after trauma, use of thin tube pedicle, 35
Axilla, improving access for lymphadenectomy and microvascular surgery, 110

B

Blood flow
  measurement, skin island flap, scanning laser-Doppler technique, 280
  monitoring in limbs and flaps, use of near infra-red spectroscopy, 14
  venous flaps, isotope perfusion and infrared thermography of arterialised, venous flow-through and pedicled flaps, 61
Bolster suture technique for ear construction for microtia without skin necrosis, 323
Branchial arch syndrome, first and second, mirror image associated with cleft and lip syndrome in monozygotic twins, 601
Breast
  carcinoma, breast reduction and (letter to editor), 607
  implants
    following mastectomy for silicone injection granuloma, 71
    inflatable, long term results, 183
    mammography and, 49
    silicone, fungal growth within, 428
  internal mammary vessels
    anatomical and clinical considerations, 527
    recipient system for free flaps in breast reconstruction, 533
  prostheses, silicone leakage from, treatment of granulomas by subcutaneous mastectomy and immediate subpectoral implant, 71
  reconstruction
    permanent tissue expanders in immediate and delayedreconstruction, 572
    transverse rectus abdominis musculocutaneous flaps, use of internal mammary vessels, 533, 540
  reduction mammmaplasty
    and breast cancer (letter to editor), 607
    mammastat tourniquet (letter to editor), 606
  silicone injection granulomas, treatment by subcutaneous mastectomy and immediate subpectoral implant, 71
Burns
  contractures, palmar web, dorsal flap with lateral digital extensions, 236
  Fabricius Hildanus' treatise, modern translation and interpretation, 460
  facial reconstruction using two circumferential radial forearm flaps and dorsalis pedis flap for nose, 471

C

Canthal flaps, inner, nasal tip reconstruction, 263
Carcinoma
  sebaceous, periorbital and extraorbital regions, 93
  squamous cell cutaneous, perineural spread manifesting as ptosis and opthalmoplegia, 564
Cheek, reconstruction with expanded prefabricated musculocutaneous free flap, 569
Chest wall, reconstruction by free latissimus dorsi flap 25 years after industrial radiation injury, 431
Circulation, monitoring in limbs and flaps using near infra-red spectroscopy, 14
Clavicle, adipofascial turnover flap for surrounding soft tissue cover, 161
Collagen lattice contraction, effect of minodoxil analogues and metabolites, 154
Contractures, palmar web, dorsal flap with lateral digital extensions, 236
Craniofacial deformity: historical snippet (letter to editor), 53
Cranioplasty, split rib, reconstruction of aplasia cutis congenita of scalp, 507
Cryopreservation, skin, disappearance of Langerhans cells and melanocytes, 405
Cutis congenita, aplasia, scalp reconstruction by split rib cranioplasty and free latissimus dorsi muscle flap in nine month old infant, 507

D

Degloving injury, leg, use of radial forearm-lateral arm mega free flap, 27
Delay, skin flaps, evaluation of angiogenesis using monoclonal antibody for vascular endothelium, 479
Denaturation methods, muscle grafts, 492
Dextran 40, effect on patency following severe trauma in small arteries and veins, 121
Digits, cutaneous ligaments (classic reprint), 108
Dorsalis pedis flap, nose reconstruction following burn injury, 471
Dressings *see* Wound dressings
Dupuytren's disease
  association with keloids, 47
  epithelioid sarcoma masquerading as, 39

E

Ears
  prominent
    correction, day care surgery (letter to editor), 340
    efficacy of EMLA cream in reducing pain of corrective surgery under local anaesthetic, 150
  reconstruction, microtia, bolster suture technique to prevent skin necrosis, 323
  reduction, helical advancement, 30
  see also Auricle
EMLA cream, efficacy in reducing pain of local anaesthetic infiltration for prominent ear correction, 150
Epigastric flaps, deep inferior musculocutaneous, twelfth thoracic nerve and preservation of sensation, 455
Eyelids
  ptosis, due to perineural spread of cutaneous squamous cell carcinoma, 564
  upper
    reconstruction with mucosa-lined bipedicled myocutaneous flaps, 294
    retraction, new technique of levator lengthening, 127

F

Fabricius Hildanus, modern translation and interpretation of treatise on burns, 460

Face
anthropometric measurements, evaluation of laser scanner and comparison with direct techniques, 551
asymmetry, Hanhart's syndrome, 511
paralysis
cross-face reanimation using single stage microvascular gracilis transfer, 83, 519 (letter to editor), 520 (letter to editor)
free muscle transfer, irreversible muscle contracture following (letter to editor), 518
with neck deformity, reconstruction using free combined parascapular flap with latissimus dorsi muscle flap, 515
reconstruction
after burn injury using two circumferential radial forearm flaps and dorsalis pedis flap for nose, 471
free muscle transplantation with ipsilateral facial nerve for reinnervation, irreversible muscle contracture in, 1, 518 (letters to editor)
Facelifting, initial eight year experience, 203
Fibroblasts, collagen lattice contraction, effect of minodoxil analogues and metabolites, 154
Fingers
acquired ring constriction, treatment by neurovascular island flap including vein, 401
replacement with toes, secondary procedures to improve function, 487
tourniquet (letter to editor), 606
Fluorometry, serial skin surface, assessment of skin flap perfusion, 288
Foetus, inflammatory response, sheep (letters to editor), 177
Foot
symbrachydactyly, clinical study, 300
syndactyly/polysyndactyly, surgical treatment without skin grafts, 306
Forearm flaps, radial *see* Radial forearm flaps
Free flaps
combined parascapular and latissimus dorsi muscle flaps for facial palsy and neck reconstruction, 515
intraoral reconstruction, use of second flap for recurrent or metachronous carcinoma, 559
latissimus dorsi, chest wall reconstruction 25 years after industrial radiation injury, 431
management of intrathoracic sepsis, 546
microcirculation monitoring using near infra-red spectroscopy, 14
musculocutaneous, expanded prefabricated, cheek reconstruction, 569
radial forearm-lateral mega flap, 27
snuff-box, reconstruction of wrap-around flap donor site, 312

G

Gastrocnemius muscle, musculocutaneous flaps, closure of ischial pressure sore using free flap with long venous pedicle, 504
Gastroplasty, vertical band, abdominoplasty following, 423
Glabellar flaps, nasal tip reconstruction, 263
Glutathione disulphide as marker of reperfusion injury in ischaemic skin flaps, 77
Gluteus maximus muscle, musculocutaneous island flap, treatment of ischial pressure sores (letters to editor), 521, 522
Gracilis muscle
extended flap for reconstruction of lower leg, 353
single stage microneurovascular transfer in cross-face reanimation of paralysed face, 83, 519 (letter to editor), 520 (letter to editor)

H

Hand reconstruction, toe-to-hand transfers, secondary procedures to improve function, 487
Hanhart's syndrome with facial asymmetry, 511
Heel, bilateral congenital fatty pads, 252
Hemangiopericytomas, multifocal congenital, associated with Kasabach- Merritt syndrome, 240
Hip, pressure sores
closure using free gastrocnemius musculocutaneous flap with long venous pedicle, 504
treatment with inferior gluteus maximus musculocutaneous island flap (letters to editor), 521, 522
History
plastic surgery in Aberdeen, 154
plastic surgery in Hull, 112
Hueston, John Turner, obituary, 335
Hull, plastic surgery in, 112
Hypodermic needle, multiple uses (letter to editor), 338
Hypospadias repair
one-stage (letters to editor), 258, 259
two-stage, 345

I

Inflammatory response, foetal sheep (letters to editor), 177
Interosseous flaps, distally based posterior island flap (letter to editor), 258
Intrathoracic sepsis, free flaps in management of, 546
Ischaemiia, ischaemia-reperfusion injury in adipocutaneous flaps, oxidative processes and free radical scavengers in, 590
Island flaps
inner canthal and glabellar, nasal tip reconstruction, 263
musculocutaneous, gluteus maximus, treatment of ischial pressure sores (letters to editor), 521, 522
musculomucosal nasolabial, floor of mouth reconstruction, 8
neurovascular, treatment of acquired ring constriction, 401
peroneal, distally based, 23
posterior interosseous, distally based (letter to editor), 258
skin, perfusion imaging of blood flow by scanning laser-Doppler, 280

J

Jejunum, free transfer for thoracic oesophageal reconstruction, 11

K

Kasabach-Merritt syndrome, associated multifocal congenital hemangiopericytomas, 240
Kay-Kilner Prize Essay, 1994, What are the priorities in plastic surgery?, 410
Keloid
association with Dupuytren's disease: case report, 47
formation after surgery for polydactyly of feet in child, 43
Keratoacanthoma, nose, treatment with intralesional methotrexate, 243

L

Langerhans cells, effect of cryopreservation, 405
Laser scanners, evaluation in facial anthropometry and comparison with direct techniques, 551
Laser-Doppler technique, scanning device, perfusion imaging of skin island flap blood flow, 280
Lasers, flashlamp-pumped dye, efficacy for treatment of port wine stains, 271
Latissimus dorsi muscle
free flap, chest wall reconstruction 25 years after industrial radiation injury, 431
muscle flaps
combined with free parascapular flap, facial palsy and neck reconstruction, 515
free flap in reconstruction of aplasia cutis congenita of scalp, 507
Leg
degloving injury, use of radial forearm-lateral arm mega free flap, 27
lower, reconstruction using extended gracilis muscle flap, 353
Ligaments, cutaneous
digits (classic reprint), 108
phalanges (classic reprint), 106

Lipid peroxidation, *in vitro* assessment of oxidative processes and free radical scavengers in ischaemic-reperfusion injury in adipocutaneous flaps, 590
Lips, cleft, and cleft palate, monozygotic twins, mirror image of first and second branchial arch syndrome, 601
Lower limbs, reconstruction, use of soft tissue expansion, 579

M

Mammaplasty, reduction
and breast cancer (letter to editor), 607
mammastat tourniquet (letter to editor), 606
Mammary veins, internal, anatomy and use in free TRAM flap breast reconstruction, 540
Mammary vessels, internal, anatomical and clinical considerations, 527
recipient system for free flaps in breast reconstruction, 533
Mammography, breast implants and, 49
Mandible reconstruction, rectus abdominis osteomyocutaneous double island flap based on internal mammary vessels, 145
Mannitol, effect on prevention of free radical injury to post-ischaemia flaps, 218
Mastectomy, subcutaneous, treatment of silicone injection granulomas, 71
Melanocytes, effect of cryopreservation, 405
Melanoma, malignant, experience of Pigmented Lesion Clinic, Frenchay Hospital, 247
Methotrexate, treatment of keratoacanthoma of nose, 243
Microtia, ear reconstruction, bolster suture technique to prevent skin necrosis, 323
Minodoxil analogues and metabolites, effect on contraction of collagen lattices by human skin fibroblasts, 154
Mouth
intra-oral reconstruction using second free flap for recurrent or metachronous carcinoma, 559
reconstruction of floor using musculomucosal nasolabial island flaps, 8
Muscle grafts, denaturing methods and their use for nerve repair, 492
Muscles
free transfer, facial paralysis, irreversible muscle contracture following (letter to editor), 518
functioning free transplantation with ipsilateral facial nerve reinnervation, irreversible muscle contracture following, 1, 518
(letters to editor)
irreversible contracture following free transplantation, 1, 518
(letters to editor)
Musculocutaneous flaps
epigastric deep inferior, twelfth thoracic nerve and preservation of sensation, 455
expanded prefabricated free flap in cheek reconstruction, 569
gastrocnemius, closure of ischial pressure sore using free flap with long venous pedicle, 504
latissimus dorsi, in treatment of ischial pressure sores (letters to editor), 521, 522
mucosa-lined bipedicled, upper eyelid reconstruction, 294
Musculomucosal flaps, nasolabial island flaps for floor of mouth reconstruction, 8

N

Naevi, benign papular naevocytic, shave excision, 318
Nasolabial flaps, musculomucosal island flaps for floor of mouth reconstruction, 8
Near infra-red spectroscopy (NIRS), monitoring of perfusion and oxygenation within microcirculation of limbs and flaps, 14
Neck deformity and facial palsy, reconstruction using free combined parascapular flap with latissimus dorsi muscle flap, 515
Neovascularization, full thickness skin grafts, contribution of perivascular tissue, 89
Nerve repair, denatured muscle grafts, 492
Neurovascular flaps, island, treatment of acquired ring constriction, 401
Nipples, inverted, use of 'Niplette' for non-surgical correction (letters to editor), 115
Nose
alar clefts associated with nasal skin lumps and median clefts of upper lip and alveolus, repair, 329
keratoacanthoma, treatment with intralesional methotrexate, 243
reconstruction following burn injury using dorsalis pedis flap, 471
rhinoplasty, retrospective analysis of results of 218 consecutive procedures, 451
tip, reconstruction using island inner canthal and glabellar flaps, 263
Nostrils, triple, with cleft lip and palate (letter to editor), 53
Nylon, comparison with polydioxanone as microarterial suture material, 165

O

Obesity, morbid, vertical band gastroplasty followed by abdominoplasty, 423
Obituaries, Hueston, John Turner, 335
Oesophagus, thoracic, reconstruction with free intrathoracic jejunal transfer, 11
Opthalmoplegia due to perineural spread of cutaneous squamous cell carcinoma, 564
Orbital apex syndrome due to perineural spread of cutaneous squamous cell carcinoma, 564
Osteomusculocutaneous flaps, rectus abdominis double island flap based on internal mammary vessels, 145
Oxygen, hyperbaric, effect on different phases of healing of ischaemic flap wounds and incisional wounds of skin, 583
Oxygen derived free radicals (ODFRs), role in aetiology of ischaemia and ischaemic-reperfusion injury following cold storage, 590

P

Palate, cleft
image analysis of lateral velopharyngeal closure (letters to editor), 178
monozygotic twins, mirror image of first and second branchial arch syndrome, 601
Palmar web contractures, dorsal flap with lateral digital extensions, 236
Parascapular flap, free, combined with latissimus dorsi muscle flap in facial palsy and neck reconstruction, 515
Perfusion imaging of skin island flap blood flow by scanning laser-Doppler technique, 280
Peripheral nerve injury, paradoxical clinical consequences
rejection of possibility of conduction of nerve impulses across freshly divided/repaired nerve site, 371
review of anatomical, neurophysiological and psychological mechanisms, 384
Peroneal island flap, distally based, 23
Phalanges, cutaneous ligaments (classic reprint), 106
Pharyngo-oesophageal reconstruction, fabricated radial forearm flap, saliva leakage and its prevention, 212
Photodynamic therapy of primary skin cancer: review, 360
Pigmented Lesion Clinic, Frenchay Hospital: analysis of first year's patients, 247
Plastic surgery
priorities (Kay-Kilner Prize Essay, 1994), 410
use of word 'plastic' in (letter to editor), 338
Polydactyly, keloid formation after surgery, 43
Polydioxanone, comparison with nylon as microarterial suture material, 165
Port wine stains, efficacy of flashlamp-pumped pulsed dye laser therapy, 271
Prefabricated flaps
full thickness skin grafts, contribution of perivascular tissue to neovascularization, 89
musculocutaneous free expanded, cheek reconstruction, 569
Pressure sores, ischial
closure using free gastrocnemius musculocutaneous flap with long venous pedicle, 504
treatment with inferior gluteus maximus musculocutaneous island flap (letters to editor), 521, 522

Ptosis due to perineural spread of cutaneous squamous cell carcinoma, 564

R

Radial forearm flaps
circumferential, facial reconstruction after burn injury, 471
fabricated, use in pharyngolaryngeal surgery, 212
radial forearm--fabricated lateral arm mega free flap, 27
Radiation injury, industrial, chest wall reconstruction by free latissimus dorsi flap after 25 years, 431
Rectus abdominis muscle, osteomyocutaneous double island flap based on internal mammary vessels, 145
Reperfusion injury
ischaemia-reperfusion injury in adipocutaneous flaps, 590
ischaemic skin flaps, glutathione disulphide as marker, 77
Rhinoplasty, retrospective analysis of results of 218 consecutive procedures, 451
Ring constriction, acquired, treatment by neurovascular island flap including vein, 401

S

Salivary glands, sialadenosis, 419
Sarcoma, epithelioid, masquerading as Dupuytren's disease, 39
Scalds, children, survey of incidence and aetiology, 103
Scalp
aplasia cutis congenita, reconstruction by split rib cranioplasty and free latissimus dorsi muscle flap in nine month old infant, 507
heterotopic brain tissue, 332
tourniquet (letter to editor), 606
Seven flap-plasty (letter to editor), 54
Shave excision, benign papular naevocytic naevi, 318
Sialadenosis, 419
Silicone implants, fungal growth within, 428
Skin
bilayer artificial, 222
cancer, photodynamic therapy of primary cancer, 360
cryopreservation, disappearance of Langerhans cells and melanocytes, 405
cutis congenita *see* Cutis congenita
Pigmented Lesion Clinic, Frenchay Hospital: analysis of first year's patients, 247
sebaceous carcinoma of periorbital and extraorbital regions, 93
squamous cell carcinoma, perineural spread manifesting as ptosis and opthalmoplegia, 564
Skin flaps
delayed, evaluation of angiogenesis using monoclonal antibody for vascular endothelium, 479
ischaemia, effect of mannitol and anisodamin on prevention of free radical injury, 218
ischaemic, glutathione disulphide as marker of reperfusion injury, 77
perfusion, assessment by serial skin surface fluorometry, 288
perfusion imaging of island flap blood flow by scanning laser-Doppler, 280
viability, improvement by use of cool perfusion solutions, 132
Skin grafts
amniotic membrane as cover for microskin grafts, 477
full thickness, contribution of perivascular tissue to neovascularization, 89
harvesting, thigh, lateral cutaneous nerve block, 591
Snuff-box flap, free, reconstruction of wrap-around flap donor site, 312
Spectroscopy, near infra-red *see* Near infra-red spectroscopy
Super-thin flaps (letter to editor), 434
Suture materials, microarterial anastomoses, comparison of nylon and polydioxanone, 165
Sutures, bolster suture technique for ear construction for microtia without skin necrosis, 323
Symbrachydactyly, foot, clinical study, 300
Syndactyly
complete, repair by tissue expansion and composite grafts, 396
foot, surgical treatment without skin grafts, 306

T

Tail, human (letters to editor), 114, 434
Tempest, Michael, poem in memory (letter to editor), 608
Temporal flaps, vascular basis, 439
Temporal region, arterial anatomy, 439
Thigh, skin graft harvesting, block of lateral cutaneous nerve, 591
Thoracic nerve, twelfth, and sensate deep inferior epigastric musculocutaneous flap, 455
Thoracic surgery, sepsis management by use of free flaps, 546
Tissue expanders
insertion, universal incision for, 172
permanent, immediate and delayed breast reconstruction, 572
silicone, fungal growth within, 428
Tissue expansion
along with composite grafts, in repair of complete syndactyly, 396
lower limb reconstruction, 579
Toe-to-hand transfers, secondary procedures to improve function, 487
Tourniquets, simple device for use as mammastat, scalp or finger tourniquet (letter to editor), 606
Transverse rectus abdominis musculocutaneous (TRAM) flaps, breast reconstruction
anastomosis to internal mammary vessels, 533
use of internal mammary veins, 540
Tube pedicles, auricular reconstruction after trauma, 35
Turn-over flaps, adipofascial, soft tissue cover around clavicle, 161
Twins, cleft lip and palate, associated mirror image of first and second branchial arch syndrome in monozygotic twins, 601

U

Urethra, reconstruction with autologous vein graft, 500

V

Vagina, congenital agenesis, McIndoe procedure, 97
Vein grafts, urethral reconstruction with autologous graft, 500
Venous flaps, isotope perfusion and infrared thermography of arterialised, venous flow-through and pedicled flaps, 61

W

Wounds
contraction
dynamics, experimental model, 189
effect of minodoxil analogues and metabolites, 154
modification of rate by allopurinol, 198
dressings materials, toxicity testing *in vitro*, 230
healing
effect of hyperbaric oxygen on ischaemic and normal incisional wounds, 583
foetal sheep (letters to editor), 177
ischaemic, effect of hyperbaric oxygen on healing, 583
Wrap-around flaps, donor site reconstruction with free snuff-box flap, 312